

## Applications

Suitable for vegetables, ornamentals, landscaped gardens, commercial tree and vine crops.

## Rotor Spray™ Mini Sprinklers

Durable and reliable with excellent distribution uniformity.

Vari-Rotor Spray™ can be adjusted to reduce volume of flow and radius of throw.

## Features

- “C” Frame design for strength and distribution uniformity.
- Full flow spinner suspended between two bearings.
- Inverted model incorporates special dust cover to protect bearing.
- UV Stabilised material: Frame – acetal, Base-acetal, Flipper-nylon
- Inlet: 10-32 UNF thread, 4mm



Rotor Spray™



Inverted Rotor Spray™



Vari-Rotor Spray™

## Ordering Information

Code	Description
10120025	Rotor Spray™ 0.9mm Brown Base
10120015	Rotor Spray™ 1.0mm Blue Base
10120035	Rotor Spray™ 1.3mm Green Base
10120055	Rotor Spray™ 1.5mm Red Base
10120075	Rotor Spray™ 1.8mm Orange Base
10120045	Rotor Spray™ 2.0mm Grey Base
10120205	Vari-Rotor Spray™ Black Base with Shut-off valve
10120125	Inverted Rotor Spray™ 0.9mm Brown Base
10120115	Inverted Rotor Spray™ 1.0mm Blue Base
10120135	Inverted Rotor Spray™ 1.3mm Green Base
10120155	Inverted Rotor Spray™ 1.5mm Red Base

Performance			Rotor Spray™		Vari-Rotor Spray™		Inverted Rotor Spray™	
			●		●		●	
Base Colour and Orifice Size	Pressure (kPa)	Flow (Lph)	Tested 0.2m above ground		Tested 2.0m above ground		Tested 0.8m above ground	Tested 2.0m above ground
			Diameter of Throw (m)	Stream Height (m)	Diameter of Throw (m)	Stream Height (m)	Diameter of Throw (m)	
							(m)	(m)
Brown	100	31	5.2	0.2			4.0	5.4
	125	35	5.6	0.3			4.2	5.8
	150	38	5.6	0.4			4.2	6.0
Blue	100	38	5.2	0.3			4.2	5.6
	125	42	5.4	0.4			4.4	5.8
	150	46	5.4	0.5			4.6	6.0
Green	100	61	6.0	0.4			4.2	5.8
	150	76	6.9	0.5			4.6	6.2
	200	88	7.2	0.5			5.0	6.6
Red	100	85	6.5	0.4			4.4	6.2
	150	105	7.5	0.4			4.8	6.4
	200	120	8.1	0.4			5.0	7.2
Orange	100	95	6.7	0.3				
	150	117	7.5	0.4				
	200	135	8.4	0.5				
Grey	100	120	6.8	0.4				
	150	150	7.8	0.4				
	200	175	8.0	0.5				
Black	100	0 – 82			0 – 6.5	0 – 0.4		
	150	0 – 105			0 – 7.5	0 – 0.4		
	200	0 – 123			0 – 8.1	0 – 0.4		