# TORO

# Residential Controller 4, 6 and 8 stations

The world is becoming digital... why should your irrigation controller be any different!

Although compact in size, several large features are packed into the DDC – making it extremely affordable for any residential application.

Available in 4, 6, or 8-station models, the DDC features an exclusive, patent-pending virtual dial interface that guides a user through simple programming functions.

## **Key Features**

- Toro exclusive "digital dial" technology simulates the simplicity of a mechanical dial
- 3 independent programs, easily identified within "digital dial" interface
- Water Budget
- 0 to 200% in 10% increments
- Monthly preset option ideal for system start-up or shutdown in advance
- Self-diagnostic circuit breaker identifies irrigation faults
- Display with multi-language overlays (user selectable)
- Accepts Toro TWRS or TWRS wireless rain sensors

# **DDC<sup>™</sup> Series**

## **Additional Features**

- Large LCD display
- 3 Start Times per Program
- 1 to 240 minute run times with delay between stations
- Multiple watering days options
- 365 day calendar
- 7 day calendar, 14 day interval
- Odd/Even day watering, with 31st day exclusion
- Manual programs feature to manually start
  programs stored in controller memory
- Built-in Rain delay with sensor terminal hookups
- "Arm Chair" programming with 9-volt battery power source
- Programmable Master Valve
- Convenient program review feature
- Program retention with on board coin battery
- Default program if loss of power occurs
- Quick reference card for programming assistance
- CE, EMC, C-Tick, UL and cUL approved

## **Electrical Specification Features**

Input power:

- 240 VAC, 50/60 Hz (Plug-in transformer, SAA)
- 60 W (0.50 amps) maximum

### Station Output Power:

- 24 VAC
- 6 VA (0.25 amps) per station maximum
- 6 VA (0.25 amps) pump start/master valve
- 12 VA (0.50 amps) total load

## **Specifications**

### Indoor:

- Weight without 9-volt battery: 280 grams
- Dimensions: 127 x 145 x 40mm (H x W x D)
- 500mA class 2 transformer

#### Outdoor:

- Weight without 9-volt battery: 1.14kg
- Dimensions: 220 x 178 x 89mm (H x W x D)





DDC <sup>™</sup> /DDC <sup>™</sup> WP Series Specifying Information			
DDCXX X XXX XX			
Description	Stations	Power Supply	Optional
DDC — Digital Dial Controller	4 — 4 station 6 — 6 station 8 — 8 station	240 — 240 VAC	0D — outdoor AC model
For Example: When specifying an 8- station DDC controller with 240 VAC plug-in transformer, you would specify: DDC-8-240			

Company policy is one of constant improvement and therefore changes in specifications may be made without notice and without incurring liability.Please refer to www.toro.com.au Toro Australia Pty Ltd, 53 Howards Road, Beverly, South Australia, 5009. Phone 1300 130 898, fax (08)8243 2488. A.B.N 47 001 310 443