




16 mm Drip-In PC 1.6 L/h Run Length (m) vs Pressure Loss (kPa)




16 mm Drip-In PC 2.0 L/h Run Length (m) vs Pressure Loss (kPa)



16 mm Drip-In PC 2.4 L/h Run Length (m) vs Pressure Loss (kPa)



16 mm Drip-In PC 4.0 L/h Run Length (m) vs Pressure Loss (kPa)



Maximum Recommended Run Length																																
Inlet Pressure (kPa)	Spacing (m)																															
	0.3				0.4				0.5				0.6				0.75				0.9				1.0				1.5			
	Length (m)																															
150	72	64	56	40	93	84	73	52	113	102	89	64	133	121	104	75	160	145	126	91	187	169	147	106	204	185	161	116	283	255	222	160
200	90	81	71	51	118	106	92	66	144	129	113	81	168	151	132	95	204	184	161	115	237	214	187	135	260	234	203	147	359	324	282	204
250	104	93	81	58	135	122	106	76	165	148	129	93	193	174	151	109	234	211	183	132	273	246	214	154	298	269	234	169	413	373	324	234
300	114	103	90	64	149	134	116	84	182	164	142	103	214	192	167	121	258	233	203	146	301	271	236	171	329	297	258	186	456	411	358	258
350	123	111	96	70	160	145	126	90	196	177	154	111	230	208	180	130	279	252	219	158	326	293	255	184	355	321	279	201	493	445	387	280
400	131	118	103	74	171	154	134	96	209	188	163	118	245	221	192	139	297	267	233	168	346	312	271	196	379	341	296	214	525	474	412	297
Nom. Flow L/h	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0	1.6	2.0	2.4	4.0

Based on minimum pressure of 100 kPa. All run lengths calculated on flat ground.